

## Information User instruction

### Safety gloves against thermic and mechanical risks

#### Manufacturer

UVEX SAFETY Gloves GmbH & Co. KG  
Elso-Klöver-Str. 6, 21337 Lüneburg  
Postfach 24 47 · 21314 Lüneburg  
GERMANY

Tel.: +49 4131 9502-0  
Fax: +49 4131 84338  
Email: gloves@uvex.de  
Website: uvex-safety.de

**Type** uvex unilite thermo HD  
**Basic glove material** cotton terry/acrylic (inner), nylon (outer)  
**Available sizes** 8, 9, 10, 11


**Coating material** PVC grip coating  
**Smallest packing unit** 100 Pairs

#### Pictogram and performance levels

EN 511 : 2006



1 2 X **Performance levels**



Watertightness


Contact cold

Convective cold

EN 388 : 2003



3 2 3 1 **Performance levels**



Puncture resistance

Tear resistance

Cut resistance

Abrasion resistance

**Please note:** The actual period of protection on the job is affected by many factors (temperature, abrasion, etc.) and can therefore differ from the performance level!

**N.B.:** If these gloves do not pass performance level 1 in the test for the watertightness, the insulating property of these gloves may be impaired if they become wet.

Pictogram and performance levels according to EN 388:2003 (highest performance level: 4/cut resistance: 5)

All levels only apply to the coated areas of the glove.

For gloves that consist of several parts which are not permanently connected, the performance level and protective function only applies for the complete glove with all its parts.

**EC notified body** SATRA Technology Centre  
Wyndham Way, Telford Way, Kettering · NN16 8SD Northamptonshire, United Kingdom  
No.: 0321

**Cleaning** No cleaning or care recommended

**Storage** Store in a dark, dry place.

**Handling** New and used gloves should be thoroughly checked. Particularly after cleaning, ensure that they are not damaged (e.g. incisions, holes).

We are not aware of any substances in this product that could cause an allergic reaction.

**Disposal** The gloves should be disposed of properly as household waste. If they come into contact with chemicals, please consult the chemical manufacturer's waste disposal guidelines.

**Warning** Gloves should not be worn where there is a risk of being caught in moving machinery parts.